

PATENT

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: VAN RENS et al. Confirmation No.: 3132
Appl. No.: 09/985,037 Group: 3721
Filed: November 1, 2001 Examiner: UNKNOWN
For: FORM-FILL-SEAL MACHINE

COPY

LETTER

Assistant Commissioner for Patents
Washington, DC 20231

Date: May 8, 2002

Sir:

Under the provisions of 35 U.S.C. § 119 and 37 C.F.R. § 1.55(a), the applicant(s) hereby claim(s) the right of priority based on the following application(s):

<u>Country</u>	<u>Application No.</u>	<u>Filed</u>
THE NETHERLANDS	1016524	November 1, 2000

A certified copy of the above-noted application(s) is(are) attached hereto.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 25-0120 for any additional fee required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees.

Respectfully submitted,

YOUNG & THOMPSON

By Benoit Castel
Benoit Castel, #35,041

BC/psf

745 South 23rd Street, Suite 200
Arlington, Virginia 22202
(703) 521-2297

Attachment

KONINKRIJK DER



NEDERLANDEN

Bureau voor de Industriële Eigendom



Hierbij wordt verklaard, dat in Nederland op 1 november 2000 onder nummer 1016524,
ten name van:

AQUARIUS B.V.

te Weert

een aanvraag om octrooi werd ingediend voor:

"Vorm-, vul- en sluitmachine",

en dat de hieraan gehechte stukken overeenstemmen met de oorspronkelijk ingediende stukken.

Rijswijk, 17 april 2002

De Directeur van het Bureau voor de Industriële Eigendom,
voor deze,

A handwritten signature in black ink, appearing to be 'N.A. Oudhof'.

drs. N.A. Oudhof

10 16 52 4

B. v. d. I.E.

U I T T R E K S E L

- 8 NOV. 2000

Vormvulsluitmachine omvattend middelen voor het door de machine doorvoeren van een baan verpakkingsmateriaal volgens een procespad en middelen voor het omvormen van de baan tot gevulde zakken, voorts omvattend een
5 zipstrook-aanbrenginrichting met middelen voor het dwars op het procespad toevoeren van een zipstrook voor elke zak, welke toevoermiddelen een eerste en een tweede transporteur omvatten, die in toevoerrichting van de zipstrook achter elkaar geplaatst zijn en beide voorzien zijn van
10 middelen voor het tijdens het toevoeren vasthouden van de zipstrook, waarbij tussen de eerste en de tweede transporteur een mes geplaatst is voor het doorsnijden van de zipstrook en waarbij de eerste en de tweede transporteur voorzien zijn van eigen, eerste en tweede aandrijfmid-
15 delen.